MINUTES OF MEETING OF BOARD OF ELECTRICAL APPEALS

June 9, 2009 - 3:00 p.m.

OFFICE OF CENTRAL INSPECTION CITY HALL, 455 NORTH MAIN OCI CONFERENCE ROOM, 7th FLOOR

Chairman Roy Meinhardt called the meeting to order at 3:03 pm, with Board members, John Whittit, Dale Johnson, Harold Ragland, Scott Alder and Secretary Tom Kerschen present. Also present were City attorney Jeff Vanzandt and electrical inspector Chris Nordick. Board members Shane Chapman and Dave Urban were absent.

The minutes of the April 14, 2009 meeting were read. Board member Ragland made a motion the minutes be approved as written, it was seconded by Board member Whittit and approved.

The recent examination results from Prometric for electrical examinations administered by their office for City of Wichita approved applicants were presented to the Board. The results were as follows:

APPLICANT NAME	APPLICANT NUMBER	EXAMINATION CLASSIFICATION	EXAMINATION RESULT
Larry Payne	1576	Master	Passed
Mark Bush	1505	Master	Passed
Rafael Rojas	4210	Master	Passed
Paul Cooper	4020	Master	Failed
Randy Weerts	0288	Master	Failed
John Cushenbery	7168	Journeyman	Failed
Fred Green	6703	Journeyman	Failed
Anthony Durkee	6266	Journeyman	Failed
John Flynn	1211	Journeyman	Failed
Ricardo Garcia	1048	Journeyman	Failed
Fred Green	6703	Journeyman	Passed
Zaid Labidi	6353	Journeyman	Failed
Benjamin Shields	2281	Journeyman	Passed
Jerald Shields	1128	Journeyman	Failed
Levi Soto	1266	Journeyman	Failed
Randy Cavanaugh	3026	Res. Wireman	Failed
Pete Seidel	5902	Elevator Mechanic	Failed
Matthew Whitley	3366	Elevator Mechanic	Failed
Derek Wright	3506	Elevator Mechanic	Failed

Two (2) Master Electrician, three (3) Journeyman Electrician, two (2) Residential Wireman and one (1) Elevator applications were reviewed for approval to be administered the appropriate examination for certification. The results were as follows:

NAME	NUMBER	CLASSIFICATION	ACTION
Elton Fritch	5246	Master	Approved
Mark Bush	1505	Master	Approved
Luke Drake	3231	Journeyman	Approved
Fred Green	6703	Journeyman	Approved
Joseph Magee	5786	Journeyman	Denied
Wesley Reeves	8143	Res. Wireman	Approved
Ryan Reeves	0849	Res. Wireman	Approved
Derek Wright	3506	Elevator	Approved

Under part A of the unfinished business section of the agenda, the Board continued the discussion on the 2008 NEC requiring GFCI protection for appliances installed in garages and unfinished basements when they had a single receptacle installed and the requirement of GFCI protection for receptacles in garage ceilings. The Board agreed with the NEC and the requirements for GFCI protection on receptacles for appliances as most of the time they are on concrete surfaces and as such there is the potential for someone to be injured do to electrical shock.

The Board did not feel the same danger existed with the receptacle for the garage door opener, but they did have concerns of other items plugged into that receptacle. Board member Whittit made a motion that in a dwelling, ground fault circuit interrupter protection shall not be required on an overhead garage door opener that is cord and plug connected to a single receptacle installed in the ceiling directly above the overhead garage door opener motor. The motion was seconded by Board member Ragland and unanimously approved.

Under the New Business section of the agenda, secretary Kerschen presented the Board with amendments to the renewing and reciprocity of certificates that coincide with the new State statute that was recently approved by the State legislature. The new requirements now state that 6 hours of the required 12 hours of continuing education, consist of code training. The amendments also outline the required continuing education for new test takers and the amount of continuing education required when they renew their certificate for the first time. Board member Whittit made a motion to accept the amendments as written for presentation to City Council. Board member Ragland seconded the motion and it was unanimously approved.

With no other business to conduct, Board member Whittit made a motion to adjourn. Board member Alder seconded the motion and the meeting adjourned.

The time was 3:31 pm.

Tom Kerschen, Secretary, Board of Electrical Appeals